ELSEVIER

Nuclear Engineering and Design 160 (1996) 445–446

Nuclear Engineering and Design

Author Index of Volume 160

Abbas, H., D.K. Paul, P.N. Godbole and G.C. Nayak, Aircraft crash upon outer containment of nuclear power plant 160 (1996) 13
Akiba, H., S. Yoshimura and G. Yagawa, Direct analysis method for probabilistic fracture mechanics 160 (1996) 347
Albert, N., see Roos, E. 160 (1996) 241
Ang, A.H.-S., see Pires, J.A. 160 (1996) 427
Antonov, S., see Ilieva, K. 160 (1996) 257
Aoki, S., Dynamic characteristics of welded structures 160 (1996) 379
Apostolov, T., see Ilieva, K. 160 (1996) 257
Apostolov, T.G., K.D. Ilieva and T.M. Petrova, Calculation results from radiation embrittlement of VVER pressure vessel at Kozloduy NPP 160 (1996) 153
Asta, E.P. and E. Chomik, Elastic–plastic fracture assessment using a J–R curve by direct method 160 (1996) 129

Bayri, B., R. Rosset, J. Desbarres, A. Jardy, D. Noel and O. Kerrec, Complexing properties of the main organic acids used in decontamination solutions for nuclear power plants and reactions involved in their degradation or elimination 160 (1996) 159
Bazzurro, P., C.A. Cornell, D. Diamantidis and G.M. Manfredini, Seismic damage hazard analysis for requalification of nuclear power plant structures: methodology and application 160 (1996) 321
Belousov, S., see Ilieva, K. 160 (1996) 257
Bi, S., see Peng, M. 160 (1996) 213
Bojadjiev, Z., see Ilieva, K. 160 (1996) 257
Brust, F., see Rahman, S. 160 (1996) 77

Cărăuşu, A. and A. Vulpe, Fragility estimation for seismically isolated nuclear structures by high confidence low probability of failure values and bi-linear regression 160 (1996) 287
Chao, C.K. and S.J. Chen, Stress intensity factors of two bonded half-plane problem with a point heat source 160 (1996) 97
Chen, S.J., see Chao, C.K. 160 (1996) 97
Cheng, W. and I. Finnie, Analysis of the fluid-elastic vibration of a U-bend tube bundle induced by cross-flow in PWR steam generators 160 (1996) 111
Chomik, E., see Asta, E.P. 160 (1996) 129
Cornell, C.A., see Bazzurro, P. 160 (1996) 321

de Boer, A., see Stoppler, W. 160 (1996) 137

Desbarres, J., see Bayri, B. 160 (1996) 159
Diamantidis, D., see Bazzurro, P. 160 (1996) 321

Ettemeyer, A., Laser shearography for inspection of pipelines 160 (1996) 237

Finnie, I., see Cheng, W. 160 (1996) 111
Fiquet, J.-M., see Nordmann, F. 160 (1996) 193
Foster, N.A.S., see Perryman, L.J. 160 (1996) 203

Gao, Y., see Peng, M. 160 (1996) 213
Godbole, P.N., see Abbas, H. 160 (1996) 13
Grobbelaar, J.F., see Perryman, L.J. 160 (1996) 203

Hill, D.J., see Roglans, J. 160 (1996) 399
Hippelein, K., see Stoppler, W. 160 (1996) 137

Ilieva, K., T. Apostolov, I. Penev, S. Belousov, E. Taskaev, S. Antonov, T. Petrova, P. Tzokov and Z. Bojadjiev, Verification of the VVER-440 pressure vessel neutron fluence calculation by activity measurement 160 (1996) 257
Ilieva, K.D., see Apostolov, T.G. 160 (1996) 153
Ishigure, K., State of the art of water chemistry of Japanese BWRs 160 (1996) 171

Jardy, A., see Bayri, B. 160 (1996) 159

Kanda, J., Normalized failure cost as a measure of a structure importance 160 (1996) 299

Kerrec, O., see Bayri, B. 160 (1996) 159
Klausnitzer, E., see Kryukov, A. 160 (1996) 59
Kryukov, A., P. Platonov, Y. Shtrombakh, V. Nikolaev, E. Klausnitzer, C. Leitz and C.-Y. Rieg, Investigation of samples taken from Kozloduy unit 2 reactor pressure vessel 160 (1996) 59
Kysela, J., M. Zmítko, V.A. Yurmanov and V.F. Tiapkov, Primary coolant chemistry in VVER units 160 (1996) 185

Leitz, C., see Kryukov, A. 160 (1996) 59
Li, R., see Peng, M. 160 (1996) 213
Li, W., see Peng, M. 160 (1996) 213
Li, X., see Peng, M. 160 (1996) 213
Li, Y. and S. Zhao, Seismic damage analysis of concrete members 160 (1996) 261

Ma, C., see Peng, M. 160 (1996) 213
Manfredini, G.M., see Bazzurro, P. 160 (1996) 321
Maubach, K., see Roos, E. 160 (1996) 241
Moriyama, K., see Ugata, T. 160 (1996) 307

Nayak, G.C., see Abbas, H. 160 (1996) 13
Nicholls, D.R., see Perryman, L.J. 160 (1996) 203
Nikolaev, V., see Kryukov, A. 160 (1996) 59
Noel, D., see Bayri, B. 160 (1996) 159
Nordmann, F. and J.-M. Fiquet, Selection criteria for the best secondary water chemistry 160 (1996) 193

Paul, D.K., see Abbas, H. 160 (1996) 13
Penev, I., see Ilieva, K. 160 (1996) 257
Peng, M., C. Ma, S. Bi, D. Wan, X. Li, R. Li, Y. Gao and W. Li, Two passive safety systems in a 200 MW demonstration nuclear heating plant 160 (1996) 213
Perryman, L.J., N.A.S. Foster, D.R. Nicholls and J.F. Grobbelaar, Real-time risk assessment of operational events 160 (1996) 203
Petrova, T., see Ilieva, K. 160 (1996) 257
Petrova, T.M., see Apostolov, T.G. 160 (1996) 153
Pires, J.A., Stochastic seismic response analysis of soft soil sites 160 (1996) 363
Pires, J.A., A.H.-S. Ang and R. Villaverde, Seismic reliability of electrical power transmission systems 160 (1996) 427
Platonov, P., see Kryukov, A. 160 (1996) 59
Puttonen, J., see Varpasuo, P. 160 (1996) 411

Rahman, S., G. Wilkowski and F. Brust, Fracture analysis of full-scale pipe experiments on stainless steel flux welds 160 (1996) 77
Ravindra M.K., see Varpasuo, P. 160 (1996) 411
Rieg, C.-Y., see Kryukov, A. 160 (1996) 59
Roglans, J., C.Y. Wang and D.J. Hill, Scram reliability under seismic conditions at the Experimental Breeder Reactor II 160 (1996) 399
Roos, E., K. Maubach and N. Albert, Technical Engineering Note 160 (1996) 241
Rosset, R., see Bayri, B. 160 (1996) 159

Shtrombakh, Y., see Kryukov, A. 160 (1996) 59
Silvennoinen, P., Economics of nuclear electricity and inter-fuel competition 160 (1996) 5
Staat, M., Probabilistic assessment of the fracture mechanics behaviour of an HTR-module primary circuit pressure boundary 160 (1996) 221
Stoppler, W., D. Sturm, K. Hippelein and A. de Boer, Crack initiation, crack growth and fracture behaviour of large diameter pipes with circumferential defects under internal pressure and superimposed alternating bending load 160 (1996) 137
Sturm, D., see Stoppler, W. 160 (1996) 137

Tanaka, H. and M. Toyoda, Random thermal fatigue in fast breeder reactor: a narrow-band spectrum 160 (1996) 333
Tanguy, P.Y., Safety objectives for next generation reactors: Proving their achievement 160 (1996) 1
Taskaev, E., see Ilieva, K. 160 (1996) 257
Tiapkov, V.F., see Kysela, J. 160 (1996) 185
Toyoda, M., see Tanaka, H. 160 (1996) 333
Tzokov, P., see Ilieva, K. 160 (1996) 257

Ugata, T. and K. Moriyama, Simple method of evaluating the failure probability of a structure considering the skewness of distribution 160 (1996) 307

Varpasuo, P., The seismic reliability of VVER-1000 NPP prestressed containment building 160 (1996) 387
Varpasuo, P., J. Puttonen and M.K. Ravindra· Seismic probabilistic safety analysis of unit 1 of the Loviisa nuclear power plant 160 (1996) 411
Villaverde, R., see Pires, J.A. 160 (1996) 427
Vulpe, A., see Cărăuşu, A. 160 (1996) 287

Wan, D., see Peng, M. 160 (1996) 213
Wang, C.Y., see Roglans, J. 160 (1996) 399
Wen, H.-M., Deformation and perforation of clamped work-hardening plates struck transversely by blunt missiles 160 (1996) 51
Wilkowski, G., see Rahman, S. 160 (1996) 77

Yagawa, G., see Akiba, H. 160 (1996) 347
Yoshimura, S., see Akiba, H. 160 (1996) 347
Yurmanov, V.A., see Kysela, J. 160 (1996) 185

Zhao, S., see Li, Y. 160 (1996) 261
Zmítko, M., see Kysela, J. 160 (1996) 185

ELSEVIER

Nuclear Engineering and Design 160 (1996) 447–448

Nuclear Engineering and Design

Subject Index of Volume 160

Engineering mechanics

Fracture analysis of full-scale pipe experiments on stainless steel flux welds, S. Rahman, G. Wilkowski and F. Burst 160 (1996) 77
Stress intensity factors of two bonded half-plane problem with a point heat source, C.K. Chao and S.J. Chen 160 (1996) 97
Elastic-plastic fracture assessment using a J–R curve by direct method, E.P. Asta and E. Chomik 160 (1996) 129

Materials properties

Fracture analysis of full-scale pipe experiments on stainless steel flux welds, S. Rahman, G. Wilkowski and F. Burst 160 (1996) 77
Stress intensity factors of two bonded half-plane problem with a point heat source, C.K. Chao and S.J. Chen 160 (1996) 97
Elastic-plastic fracture assessment using a J–R curve by direct method, E.P. Asta and E. Chomik 160 (1996) 129
Calculation results from radiation embrittlement of VVER pressure vessel at Kozloduy, NPP T.G. Apostolov, Kr. D. Ilieva and T.M. Petrova 160 (1996) 153
Complexing properties of the main organic acids used in decontamination solutions for nuclear power plants and reactions involved in their degradation or elimination, B. Bayri, R. Rosset, J. Desbarres, A. Jardy, D. Noel, O. Kerrec and B. Lantes 160 (1996) 159
State of the art of water chemistry of Japanese, BWRs K. Ishigure 160 (1996) 171
Primary coolant chemistry in VVER units, J. Kysela, M. Zmítko, V.A. Yurmanov and V.F. Tiapkov 160 (1996) 185
Selection criteria for the best secondary water chemistry, F. Nordmann and J.-M. Fiquet 160 (1996) 193

Mechanical design, component fabrication and testing

Aircraft crash upon outer containment of nuclear power plant, H. Abbas, D.K. Paul, P.N. Godbole and G.C. Nayak 160 (1996) 13
Deformation and perforation of clamped work-hardening plates struck transversely by blunt missiles, H.-M. Wen 160 (1996) 51
Investigation of samples taken from Kozloduy unit 2 reactor pressure vessel, A. Kryukov, P. Platonov, Ya. Shtrombakh, V. Nikolaev, E. Klausnitzer, C. Leitz and C.-Y. Rieg 160 (1996) 59
Crack initiation, crack growth and fracture behaviour of large diameter pipes with circumferential defects under internal pressure and superimposed alternating bending load, W. Stoppler, D. Sturm, K. Hippelein and A. de Boer 160 (1996) 137
Calculation results from radiation embrittlement of VVER pressure vessel at Kozloduy, NPP T.G. Apostolov, Kr. D. Ilieva and T.M. Petrova 160 (1996) 153
Laser shearography for inspection of pipelines, A. Ettemeyer 160 (1996) 237
The safety of nuclear power station components, E. Roos, K. Maubach and N. Albert 160 (1996) 241
Verification of the VVER-440 pressure vessel neutron fluence calculation by activity measurement, K. Ilieva, T. Apostolov, I. Penev, S. Belousov, E. Taskaev, S. Antonov, T. Petrova, P. Tzokov and Z. Bojadjiev 160 (1996) 257
Stochastic seismic response analysis of soft soil sites, J.A. Pires 160 (1996) 363
Dynamic characteristics of welded structures, Shigeru Aoki 160 (1996) 379
The seismic reliability of VVER-1000 NPP prestressed containment building, P. Varpasuo 160 (1996) 387

Scram reliability under seismic conditions at the Experimental Breeder Reactor II, J. Roglans, C.Y. Wang and D.J. Hill 160 (1996) 399
Seismic probabilistic safety analysis of unit 1 of the Loviisa nuclear power plant, P. Varpasuo, J. Puttonen and M.K. Ravindra 160 (1996) 411

Reactor concepts and systems analysis

Two passive safety systems in a 200 MW demonstration nuclear heating plant, M. Peng, C. Ma, S. Bi, D. Wan, X. Li, R. Li, Y. Gao and W. Li 160 (1996) 213
Probabilistic assessment of the fracture mechanics behaviour of an HTR-module primary circuit pressure boundary, M. Staat 160 (1996) 221
The safety of nuclear power station components, E. Roos, K. Maubach and N. Albert 160 (1996) 241
Probabilistic safety assessment past, present and future, L. Lederman, F. Niehaus and B. Tomic 160 (1996) 273
Fragility estimation for seismically isolated nuclear structures by high confidence low probability of failure values and bi-linear regression, A. Cărăuşu and A. Vulpe 160 (1996) 287
Normalized failure cost as a measure of a structure importance, Jun Kanda 160 (1996) 299
Simple method of evaluating the failure probability of a structure considering the skewness of distribution, T. Ugata and K. Moriyama 160 (1996) 307
Seismic damage hazard analysis for requalification of nuclear power plant structures: methodology and application, P. Bazzurro, C.A. Cornell, D. Diamantidis and G.M. Manfredini 160 (1996) 321
Random thermal fatigue in fast breeder reactor: a narrow-band spectrum, Hiroaki Tanaka and Michiko Toyoda 160 (1996) 333
Direct analysis method for probabilistic fracture mechanics, Hiroshi Akiba, Shinobu Yoshimura and Genki Yagawa 160 (1996) 347
Stochastic seismic response analysis of soft soil sites, J.A. Pires 160 (1996) 363
Dynamic characteristics of welded structures, Shigeru Aoki 160 (1996) 379
The seismic reliability of VVER-1000 NPP prestressed containment building, P. Varpasuo 160 (1996) 387
Scram reliability under seismic conditions at the Experimental Breeder Reactor II, J. Roglans, C.Y. Wang and D.J. Hill 160 (1996) 399
Seismic probabilistic safety analysis of unit 1 of the Loviisa nuclear power plant, P. Varpasuo, J. Puttonen and M.K. Ravindra 160 (1996) 411
Seismic reliability of electrical power transmission systems, J.A. Pires, A.H.-S. Ang and R. Villaverde 160 (1996) 427

Structural design, construction methods and testing

Seismic damage analysis of concrete members, Y. Li and S. Zhao 160 (1996) 261

Miscellaneous

Economics of nuclear electricity and interfuel competition, P. Silvennoinen 160 (1996) 5

System control and controls

Analysis of the fluid-elastic vibration of a U-bend tube bundle induced by cross-flow in PWR steam generators, W. Cheng and I. Finnie 160 (1996) 111

Nuclear safety

Safety objectives for next generation reactors: Proving their achievement, P.Y. Tanguy 160 (1996) 1
Real-time risk assessment of operational events, L.J. Perryman, N.A.S. Foster, D.R. Nicholls and J.F. Grobbelaar 160 (1996) 203
Two passive safety systems in a 200 MW demonstration nuclear heating plant, M. Peng, C. Ma, S. Bi, D. Wan, X. Li, R. Li, Y. Gao and W. Li 160 (1996) 213